1998 no. 54

AFKONDIGINGSBLAD VAN ARUBA

MINISTERIELE REGELING van 26 juni 1998 no. 1 ter uitvoering van artikel 3, eerste lid, onderdeel g, van de Landsverordening verdovende middelen (AB 1990 no. GT 7) (Regeling aanwijzing verdovende middelen IV).

Uitgegeven, 24 juli 1998

De minister van Justitie en Publieke Werken ,

E.J. Vos

De minister van VOLKSGEZONDHEID,
SOCIALE ZAKEN, CULTUUR EN SPORT,

In overweging genomen hebbende:

dat het met het oog op het belang van de volksgezondheid wenselijk is om een aantal chemische stoffen met bewustzijnsbeïnvloedende werking onder het toepassingsbereik van de Landsverordening verdovende middelen (AB 1990 no. GT 7) te brengen;

Gelet op:

artikel 3, eerste lid, onderdeel g, van de Landsverordening verdovende middelen (AB 1990 no. GT 7);

Heeft besloten:

Artikel 1

Als stof, bedoeld in artikel 3, eerste lid, onderdeel g, van de Landsverordening verdovende middelen (AB 1990 no. GT 7), worden aangewezen:
a. Secobarbitalum (5-allyl-5-(1-methylbutyl)barbituur zuur);
b. Acetyl-α-methylentanyl;
c. α-Methylentanyl;
d. MPPP (1-methyl-4-phenyl-4-propionoxypiperidine);
e. PEPAP (1-phenyethyl-4-phenyl-4-acetoxy-piperidine);
f. DMA ((+/-)-2,5-dimethoxyamfetamine);
g. DOET ((+/-)-4-ethyl-2,5-dimethoxy-phenetylamine);
h. MDMA ((+/-)-N,α-dimethyl-3,4-(methyleen-dioxy)phenethylamine);
i. MMDA (2-methoxy-α-methyl-4,5-(methyleendioxy)phenethylamine);
j. PMA (4-methoxyamfetamine);
k. TMA ((+/-)-3,4,5-trimethoxy-α-methylphenethylamine);
l. MDEA (3,4-methyleendioxyethylamfetamine);
m. Brolamfetamine ((+/-)-4-bromo-2,5-dimethoxy-α-methylphenethylamine);
n. Cathinone ((-)-(S)-2-aminopropiophenone);
o. DET (3-[2-(diethylamino)ethyl]indole);
p. N-ethyl MDA ((+/-)-N-ethyl-α-methyl-3,4-(methyleendioxy)phenethylamine);

q. N-hydroxy MDA ((+/-)-N-[α-methyl-3,4-(methyleendioxy)phenethyl]hydroxylamine);
r. Parahexyl (3-hexyl-7,8,9,10-tetrahydro-6,6,9-trimethyl-6H-dibenzo[b,d]pyran-l-ol);
s. PMA (p-methoxy-α-methylphenethylamine);
t. Rolicyclidine (1-(1-phenylcyclohexyl)pyrrolidine);
u. DOM, STP (2,5-dimethoxy-α,4-dimethylphenetylamine);
v. MDA (α-methyl-3,4-(methyleendioxy)phenetylamine);
w. TCP (1-[1-(2-thienyl)cyclohexyl]piperidine);
x. DMHP (3-(1,2-dimethylheptyl)-7,8,9,10-tetrahydro-6,6,9-trimethyl-6H-dibenzo[b,d]pyran-1-ol);
y. DMT (3-[2-(dimethylamino)ethyl]indole);
z. PCE (N-ethyl-1-phenylcyclohexylamine);
aa. Etryptamine (3-(2-aminobutyl)indole);
ab. LSD, LSD-25 (9,10-didehydro-N,N-diethyl-6-methylergoline-8ß-carboxamide);
ac. Phencyclidine (1-(1-phenylcyclohexyl)piperidine);
ad. Methcathinone (2-(methylamino)-l-phenylpropan-1-on);
ae. 4-Methylaminorex ((+/-)-cis-2-amino-4-methyl-5-phenyl-2-oxazoline);
af. Sufentanil (N-[4-(methoxymethyl)-1-[2-(2-thienyl)ethyl]-4-piperidyl]-propionanilide);
ag. Fentanyl (N-(1-phenethyl-4-piperidyl)-propionanilide);
ah. Alfentanil (N-[1-[2-(4-ethyl-5-oxo-2-tetrazoline-1-yl-ethyl]-4-(methoxymethyl)-4-piperidyl]propionanilide);
ai. Amfetamine (-α-methylphenethylamine);
aj. Dexamfetamine ((+)-α-methylphenethylamine);
ak. Fenetylline (7-[2-[(α-methylphenethyl)amino]ethyl]theophylline);
al. Levamfetamine ((-)-(R)-α-methylphenethylamine);
am. Levomethamfetamine ((-)-N, α-dimethylphenethylamine);
an. Mecloqualon (3-(o-chlorophenyl)-2-methyl-4(3H)-quinazolinone);
ao. Metamfetamine ((+)-(S)-N, α-dimethylphenethylamine);
ap. Metamfetamine racemate ((+)-N, α-dimethylphenethylamine);
aq. Methylfenidaat (methyl α-phenyl-2-piperidineacetaat);
ar. Fencyclidine (1-(1-phenylcyclohexyl)piperidine);
as. Fenmetrazine (3-methyl-2-phenylmorpholine);
at. Zipeprol (α-(α-methoxylbenzyl)-4-(ß-methoxyphenethyl)-1-piperazineethanol);
au. (6aR, 10aR)-6a,7,8,10a-tetrahydro-6,6,9-trimethyl-3-pentyl-6H-dibenzo[b,d]pyran-1-ol (delta-g-tetrahydrocannabinol);
av. Amobarbital (5-ethyl-5-isopentylbarbituur zuur);
aw. Buprenorfine (21-cyclopropyl-7-α-[(S)-1-hydroxy-1,2,2-trimethylpropyl]-6-14-endo-ethano-6,7,8,14-tetrahydrooripavine);
ax. Butalbital (5-allyl-5-isobutylbarbituur zuur);
ay. Cathine ((+)-(R)-α-[(R)-1-aminoethyl]benzyl alcohol);
az. Cyclobarbital (5-(1-cyclohexen-1-yl)-5-ethylbarbituur zuur);

ba. Glutethimide (2-ethyl-2-phenylglutarimide);
bb. Pentobarbital (5-ethyl-5-(1-methylbutyl)barbituur zuur);
bc. Flunitrazepam (5-(α-fluorophenyl)-1,3-dihydro-1-methyl-7-nitro-2H-1,4-benzodiazepin-2-on);
bd. Allobarbital (5,5-diallylbarbituur zuur);
be. Alprazolam (8-chloro-1-methyl-6-phenyl-4H-s-triazolo[4,3-α][1,4]benzodiazepine);
bf. Amfepramone (2-(diethylamino)propiophenone);
bg. Aminorex (2-amino-5-phenyl-2-oxazoline);
bh. Barbital (5,5-diethylbarbituur zuur);
bi. Benzfetamine (N-benzyl-N.α-dimethylphenethylamine);
bj. Bromazepam (7-bromo-1,3-dihydro-5-(2-pyridyl)-2H-1,4-benzodiazepin-2-on);
bk. Butobarbital (5-butyl-5-ethylbarbituur zuur);
bl. Brotizolam (2-bromo-4-(o-chlorophenyl)-9-methyl-6H-thieno[3,2-*f*]-s-triazolo[4,3-α][1,4]diazepine);
bm. Camazepam (7-chloro-1,3-dihydro-3-hydroxy-1-methyl-5-phenyl-2H-1,4-benzodiazepin-2-one dimethylcarbamaat (ester));
bn. Chlordiazepoxide (7-chloro-2-(methylamino)-5-phenyl-3H-1,4-benzodiazepine-4-oxide);
bo. Clobazam (7-chloro-1-methyl-5-phenyl-1H-1,5-benzodiazepine-2,4(3H,5H)-dione);
bp. Clonazepam (5-(o-chlorophenyl)-1,3-dihydro-7-nitro-2H-1,4-benzodiazepin-2-on);
bq. Clorazepate (7-chloro-2,3-dihydro-2-oxo-5-phenyl-1H-1,4-benzodiazepine-3-carboxilyc zuur);
br. Clotiazepam (5-(o-chlorophenyl)-7-ethyl-1,3-dihydro-1-methyl-2H-thieno[2,3-e]-1,4-diazepin-2-on);
bs. Cloxazolam (10-chloro-11b-(o-chlorophenyl)-2,3,7,11b-tetrahydro-oxazola-[3,2-d][1,4]benzodiazepin-6(5H)-on);
bt. Delorazepam (7-chloro-5-(o-chlorophenyl)-1,3-dihydro-2H-1,4-benzodiazepin-2-on);
bu. Diazepam (7-chloro-1,3-dihydro-1-methyl-5-phenyl-2H-1,4-benzodiazepin-2-on);
bv. Estazolam (8-chloro-6-phenyl-4H-s-triazolo[4,3-α][1,4]benzodiazepine);
bw. Ethchlorvynol (1-chloro-3ethyl-1-penten-4-yn-3-ol);
bx. Ethinamate (1-ethynylcyclohexanolcarbamaat);
by. Ethyl Loflazepate (ethyl-chloro-5-(o-fluorophenyl)-2,3-dihydro-2-oxo-1H-1,4-benzodiazepine-3-carboxylaat);
bz. Etilamfetamine (N-ethyl-α-methylphenethylamine);
ca. Fencamfamin (N-ethyl-3-phenyl-2-norbornanamine);
cb. Fenproporex (-3-[(α-methylphenethyl)amino]propionitrile);
cc. Fludiazepam (7-chloro-5-(o-fluorophenyl)-1,3,dihydro-1-methyl-2H-1,4-benzodiazepin-2-on);
cd. Flurazepam (7-chloro-1-[2-(diethylamino)ethyl]-5-(o-fluorophenyl)-1,3-dihydro-2H-1,4-benzodiazepin-2-on);

ce. Halazepam (7-chloro-1,3-dihydro-5-phenyl-1-(2,2,2-trifluoroethyl)-2H-1,4-benzodiazepin-2-on);
cf. Haloxazolam (10-bromo-11b-(α-fluorophenyl)-2,3,7,11b-tetrahydrooxazolo[3,2-d][1,4]benzodiazepin-6(5H)-on);
cg. Ketazolam (11-chloro-8,12b-dihydro-2,8-dimethyl-12b-phenyl-4H-[1,3]oxazino[3,2-d][1,4]benzodiazepine-4,7(6H)-dione);
ch. Lefetamine ((-)N,N-dimethyl-1,2-diphenylethylamine);
ci. Loprazolam (6-(0-chlorophenyl)-2,4-dihydro-2-[(4-methyl-1-piperazinyl)methylene]-8-nitro-1H-imidazo[1,2-α][1,4]benzodiazepin-1-on);
cj. Lorazepam (7-chloro-5-(o-chlorophenyl)-1,3-dihydro-3-hydroxy-2H-1,4-benzodiazepin-2-on);
ck. Lormetazepam (7-chloro-5-(o-chlorophenyl)-1,3-dihydro-3-hydroxy-1-methyl-2H-1,4-benzodiazepin-2-on);
cl. Mazindol (5-(p-chlorophenyl)-2,5-dihydro-3H-imidazo[2,1-α]isoindol-5-al);
cm. Medazepam (7-chloro-2,3-dihydro-1-methyl-5-phenyl-1H-1,4-benzodiazepine);
cn. Mefenorex (N-(3-chloropropyl)-α-methylphenethylamine);
co. Meprobamate (2-methyl-2-propyl-1,3-propanediol dicarbamaat);
cp. Mesocarb (3-(α-methylphenethyl)-N-(phenylcarbamoyl)sydnone imine);
cq. Methylphenobarbital (5-ethyl-1-methyl-5-phenylbarbituur zuur);
cr. Methyprylon (3,3-diethyl-5-methyl-2,4-piperidine-dione);
cs. Midazolam (8-chloro-6-(o-fluorophenyl)-1-methyl-4H-imidazo[1,5-α][1,4]benzodiazepine);
ct. Nimetazepam (1,3-dihydro-1-methyl-7-nitro-5-phenyl-2H-1,4-benzodiazepin-2-on);
cu. Nitrazepam (1,3-dihydro-7-nitro-5-phenyl-2H-1,4-benzodiazepin-2-on);
cv. Nordazepam (7-chloro-1,3-dihydro-5-phenyl-2H-1,4-benzodiazepin-2-on);
cw. Oxazepam (7-chloro-1,3-dihydro-3-hydroxi-5-phenyl-2H-1,4-benzodiazepin-2-on);
cx. Oxazolam (10-chloro-2,3,7,11b-tetrahydro-2-methyl-11b-phenyloxazolo[3,2-d][1,4]benzodiazepin-6(5H)-on);
cy. Pemoline (2-amino-5-phenyl-2-oxazolin-4-one(=2-imino-5-phenyl-4-oxazolidinone);
cz. Phendimetrazine (+)-(2S,3S)-3,4-dimethyl-2-phenylmorpholine);
da. Phenobarbital (5-ethyl-5-phenylbarbituur zuur);
db. Phentermine (α,α-dimethylphenethylamine);
dc. Pinazepam (7-chloro-1,3-dihydro-5-phenyl-1-(2-propynyl)-2H-1,4-benzodiazepin-2-on);
dd. Pipradrol (1,1-diphenyl-1-(2-piperidyl)-methanol);
de. Prazepam (7-chloro-1-(cyclopylmethyl)-1,3-dihydro-5-phenyl-2H-1,4-benzodiazepin-2-on);
df. Pyrovalerone (4'-methyl-2-(1-pyrrolidinyl)valerophenone);
dg. Secbutabarbital (5-sec-buryl-5-ethylbarbituur zuur);
dh. Temazepam (7-chloro-1,3-dihydro-3-hydroxy-1-methyl-5-phenyl-2H-1,4-benzodiazepin-2-on);

di. Tetrazepam (7-chloro-5-(1-cyclohexen-1-yl)-1,3dihydro-1-methyl-2H-1,4-benzodiazepin-2-on);
dj. Triazolam (8-chloro-6-(α-chlorophenyl)-1-methyl-4H-s-triazolo[4,3-α][1,4]benzodiazepine);
dk. Vinylbital (5-(1-methylburyl)-5-vinylbarbituur zuur);
dl. tetrahydrocannabinol, alsmede de volgende chemische substanties en de chemische varianten daarvan:
1. 7,8,9,10-tetrahydro-6,6,9-trimethyl-3-pentyl-6H-dibenzo[b,d]pyran-1-ol;
2. (9R,10aR)-8,9,10,10a-tetrahydro-6,6,9-trimethyl-3-pentyl-6H-dibenzo[b,d]pyran-l-ol;
3. (6aR,9R,10aR)-6a,9,10,10a-tetrahydro-6,6,9-trimethyl-3-pentyl-6H-dibenzo[b,d]pyran-l-ol;
4. (6aR,10aR)-6a,7,10,10a-tetrahydro-6,6,9-trimethyl-3-pentyl-6H-dibenzo[b,d]pyran-l-ol;
5. 6a,7,8,9-tetrahydro-6,6,9-trimethyl-3-pentyl-6H-dibenzo[b,d]pyran-l-ol;
6. (6aR,10aR)-6a,7,8,9,10,10a-hexahydro-6,6-dimethyl-9-methyleen-3-pentyl-6H-dibenzo[b,d]pyran-l-ol;

dm. tilidine.

Artikel 2

1. Deze ministeriële regeling treedt in werking met ingang van de dag na die van haar plaatsing in het Afkondigingsblad van Aruba.

2. Zij kan worden aangehaald als Regeling aanwijzing verdovende middelen IV.

L.G. Beke—Martinez